BRIDGWATER RURAL DISTRICT COUNCIL.

THE FIFTY-SIXTH

ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH

AND

THE CHIEF SANITARY INSPECTOR

For the year 1938

BRIDGWATER: WHITEY, LIGHT & LANE, LTD., GEORGE STREET.



BRIDGWATER RURAL DISTRICT COUNCIL.

THE FIFTY-SIXTH

ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH

AND

THE CHIEF SANITARY INSPECTOR

For the year 1938

BRIDGWATER:
WHITBY, LIGHT & LANE, LTD.,
GEORGE STREET.

MEMBERS OF THE COUNCIL FOR THE YEAR 1938.

Chairman:

REV. P. T. PRYCE-MICHELL.

Vice-Chairman:

REV. G. R. MULLENS.

Mr. J. AMERY.

,, A. H. ANGER.

CAPTAIN M. R. BERNARD.

Mr. V. W. Biffen.

,, E. T. D. BOND.

,, E. Brewer.

MAJOR E. F. BROWNING.

Mr. J. Burston.

REV. L. BUSH.

MR. R. F. CLARK.

,, W. A. Coles.

., G. COOKE.

,, H. C. DANIEL.

,, M. H. B. DAY.

,, H. S. L. DEWAR.

,, F. G. DUCKETT.

,, W. G. Edmunds.

,, A. J. Edney.

.. E. FEAR.

MAJOR J. A. C. HAMILTON.

MR. T. HARDING.

,, E. F. HEARD.

,, T. T. HERNIMAN.

MR. W. C. House.

.. O. KEIRLE.

,, A. D. MAY.

DR. V. C. MARTYN.

Mr. R. Meade.

, T. G. MERCHANT.

,, E. S. NATION.

,, A. J. PAUL.

,, F. Рососк.

LT.-COL. C. D. ROE.

REV. C. E. SEAMER.

MR. C. SELLICK.

,, R. G. SEYMOUR.

,, J. SHUTE.

,, J. SLOCOMBE.

.. B. Snow.

,, C. T. TOOGOOD.

MRS. A. TROTT.

MR. R. WATTS.

,, E. T. WESTLAKE.

,, J. WHITTLE.

,, J. C. M. WILSON.

Clerk of the Council:

BRIDGWATER RURAL DISTRICT COUNCIL OFFICES,
THE PRIORY,
St. Mary Street,
BRIDGWATER.

HOUSING AND PLANS COMMITTEE.

Chairman:

Mr. J. C. M. Wilson.

Members:

MR. A. H. ANGER.

" E. T. D. Bond.

.. G. COOKE.

" W. G. EDMUNDS.

" E. F. HEARD.

" O. KEIRLE.

" A. J. PAUL.

" R. G. SEYMOUR.

" J. SLOCOMBE.

" C. T. TOOGOOD.

PUBLIC HEALTH AND SANITARY COMMITTEE.

Chairman:

Mr. R. G. SEYMOUR.

Members:

MR. F. AMERY.

,, R. F CLARK.

" F. G. DUCKETT.

" W. G. Edmunds.

Dr. V. C. Martyn.

MR. A. D. MAY.

" E. S. NATION.

" J. SLOCOMBE.

" J. WHITTLE.

PUBLIC HEALTH STAFF.

Medical Officer of Health:
WILBERFORCE THOMPSON,
M.R.C.S., L.R.C.P., D.P.H. (LOND.)

Chief Sanitary Inspector: VINCENT C. G. CALLEN, M.S.I.A., C.R.S.I., F.F.Sc.

Additional Sanitary Inspector: H. L. Ames,

A.R.S.I., C.S.I.E.B.

Junior Assistant Inspector:

DUDLEY M. LING,
C.S.I.E.B., A.R.S.I.

Clerk:

ARTHUR A. KEMMISH.

Official Address-

Public Health Department,

Bridgwater Rural District Council Offices,
The Priory,
St. Mary Street,
Bridgwater.

REPORT OF THE MEDICAL OFFICER OF HEALTH for the year 1938.

To the Chairman and Members of the Bridgwater Rural District Council.

Gentlemen,

I beg to submit my Report for the year 1938.

The health of the district has been fairly good with the exception of a very unfortunate epidemic of typhoid fever at East and West Huntspill at the beginning of the year. This I have specially reported upon on page 20 in this Report.

There were 237 births (2 less than for the year 1937) giving a birth rate of 14.46 per thousand. The deaths numbered 236 (14 more than for the year 1937) giving a death rate of 14.30 per thousand. This is high but the average age at death was also high, being 58.3 years for males and 61.6 years for females.

- Mr. V. A. W. Couzens, the Additional Sanitary Inspector, relinquished his appointment in September last, and Mr. H. L. Ames was appointed his successor in October last.
- Mr. D. M. Ling, the Junior Assistant Sanitary Inspector, was one of the 17 successful out of 52 candidates who sat during the year for the Royal Sanitary Institute and Sanitary Inspectors' Examination Joint Board's Sanitary Inspector's Certificate, and since obtaining this qualification he has been available to specially assist the Chief Sanitary Inspector in his statutory duties.

Your obedient servant,

WILBERFORCE THOMPSON,

*Medical Officer of Health.

'' Ivy House,'' Bridgwater.

June, 1939.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

Area (in acres)						86,608*	
Population (estimated)						16,390†	
Number of inhabited hou	ises acc	ording	to the	Rate E	Books		
at December 31st, 1	938					5,224	
Number of families or se	eparate	occup	iers (C	ensus 1	1931)	4,620	
Rateable Value at Decen	nber 31	st, 193	8			£64,166	
Ascertained Product of a Penny Rate at end of March,							
1938						8 7s. 8d.	
* This is the corrected a	creage fl	gure fo	r the I	istrict a	as 16 0 ac	eres within	

the parish of Bridgwater Without were taken over by the Borough of Bridgwater when their boundaries were extended, during the period covered by this Report, under the Ministry of Health Provisional Order Confirmation (Bridgwater Extension) Act, 1938.

† This figure is included in the new Population total in respect of the

extension of the Boundaries of the Borough of Bridgwater as mentioned above.

Bridgwater Rural District Council comprises 36 Parishes, with acreage and population as undermentioned. With the exception of the Parish of Bridgwater Without the figures are those given in the Census for 1931. The respective figures for the Parish mentioned, by reason of the extension of the boundaries of the Borough of Bridgwater, are now 2,488 and 333.

or midgwater, a	LI C	110 W 2	,,400 and	000.
Parish			Acreage	Population
Ashcott			2382	676
Bawdrip			1898	332
Bridgwater Witho	ut		2488	333
Broomfield			4080	247
Cannington			4076	944
Catcott			2089	451
Charlinch			615	107
Chedzoy			1519	277
Chilton Polden			1645	346
Chilton Trinity			733	130
Cossingtor			1309	229
Durleigh			917	89
Edington			2017	317
Enmore			1426	525
Fiddington			1314	148
Goathurst			1673	202
Greinton			881	90
Huntspill			5938	1442
Lyng			1465	290
Middlezov			2546	510
Moorlinch			1920	214
Nether Stowey			1103	564
North Petherton			10583	3075
Othery			1944	423
Otterhampton			2243	424
Over Stowey			3696	419
Pawlett			3108	426
Puriton			1596	709
Shapwick			3159	271
Spaxton			5261	841
Stawell			2228	240
Stockland Bristol			827	98
Thurloxton			563	144

Parish		Acreage	Population
Wembdon	 	2297	636
Westonzoyland	 	3321	857
Woolavington	 	1708	286

The chief occupations of the inhabitants are Agriculture, Dairy Work, Brick and Tile Manufacture, Withy Culture and Basket Making, whilst a number are employed in Cement Works, the Building Trade, and in Garages and Petrol Stations. None of these callings has been found to be prejudicial to the health of the workers.

C	AUSES OF 1	DE ATE	т		1	19	38
C ₂	LUSES OF I	JEATI	1		-	MALES	FEMALES
Civilians only—							
ALL CAUSES			٠.			125	111
1. Typhoid Fey	zer ete					3	4
			::		::		
3. Scarlet Feve	r						_
4. Whooping C	ough			• •	• • •	- 1	
5. Diphtheria 6. Influenza	•• ••	• •	• •	• •	• • •	4	1 4
	Lethargica	••		• •			
8. Cerebro-spin	: Lethargica al Fever Tuberculosis culosis diseasc						
9. Respiratory	Tuberculosis	• •	• •		}	8	8
			• •	• •)		_
12. General Para	alysis of insan	e. etc.		• • •	::		
13. Cancer	•• ••			• • •		13	18
14. Diabetes			• •			1	5
15. Cerebral Ha		• •	• •	• •		4	9
 Heart Disea Aneurysm 	se		• •	• •	• •	24	20
	atory diseases		• •		1.1	8	6
19. Bronchitis	·· · ·				: 3	8 5 9 2 2	3
20. Pneumonia	(all forms)					9	$\frac{3}{2}$
21. Other Respi	ratory Disease	es				2	1
22. Peptic Ulcer 23. Diarrhoea, e	tc. (2 years ar	d orror	٠.,	• •	1	2	
24. Appendicitis	cc. (2 years ar		• • •	• •		1	1
25. Cirrhosis of	Liver	• •	• •	• • •			
26. Other liver of	liseases					1	1
27. Other Diges	tive diseases					5	1 1
28. Nephritis 29. Puerperal Se			• •			3	1
29. Puerperal Se 30. Other Puerp	eral diseases	• •	• •	• •		_	
	auses, etc.		• •	• •		3	3
32. Senility						3	7
33. Suicide						3	_
34. Other violer 35. Other define	ice		• •	• •	• •	9	3
35. Other define 36. Ill-defined c	a causes	• •	• •	• •	• •	13 1	10
37. Diarrhoea (1	inder 2 years)	• •		• •			
Special Causes (in	icluded in No.	35)—					
Small Pox							_
Poliomyel Polioencer						_	
1 onoence	7110110115						
Death of Infants) Total	, .				5	3
under 1 year	Legitima		• •	• •	• •	4	3
) Illegitin	ate	• •	• •	• •	1	
) Total					123	114
Live Births	Legitim	ate		• • •		119	119
	' Illegitin	nate	• •	• •		4	3
) Moto?					0	0
Stillbirths	Total Legitim	oto.	• •	• •	• •	$\frac{6}{6}$	9 9
oundirins .	Illegitin		• •	• • •		_	- 3
							-
Population for	. 1938		• •	• •		16,	390
			7				

of Child Birth	From Sepsis — From other causes —
Deaths of Infants under 1 year of age per 1,000 live	e births:—
Legitimate 40.23. Illegitimate 5.74	Total 45.97
Deaths from Measles (all ages)	
,, ,, Whooping Cough (all ages)	
,, ,. Diarrhoea (under two years)	

INFANTILE MORTALITY DURING THE YEAR 1938.

Deaths from stated causes and at various ages under one year of age.

CAUSE OF DEATH	[Under I week	1 to 2 weeks	2 to 3 weeks	3 to 4 weeks	Total under 1 month	1 to 3 months	3 to 6 months	6 to 9 months	9 to 12 months	Total Deaths under 1 year
Premature Birth		3	_			3	_	_			3
Congenital Defects		2	1			3	-	_	-		3
Diarrhoea				-	-		-	-	-		
Whooping Cough	• •				-		-	_			
Other Causes	• •					-	1	-	1	-	2
Total		5	1	_	_	6	1		1	_	8
									_		

GENERAL PROVISIONS FOR HEALTH SERVICES IN THE AREA.

- 1. Public Health Officers of the Authority.
- (a) Medical. One Medical Officer of Health, holding Diploma D.P.H., London, part-time.
- (b) One whole-time Chief Sanitary Inspector, Certified Royal Sanitary Institute, Sanitary Inspectors' Examination Board (London Certificates) and Fellow of the International Faculty of Sciences, who is Designated Officer appointed under the various Housing Acts, and also Inspector of Meat and Other Foods. Under the Council's new Scheme inaugurated in September last for reorganisation of the work in the Public Health and Surveyor's Departments, the duties of Petroleum Acts Inspector, Rats and Mice (Destruction) Acts Officer, and all work in connection with Plans and New Buildings, Housing (Rural Workers) Acts, Sanitary Surveyor, and Refuse Collection were placed in the hands of the Surveyor then appointed by the Council.

- (c) One whole-time and fully qualified Additional Sanitary Inspector, Certified Sanitary Inspector's Examination Board, and Royal Sanitary Institute.
- (d) One Junior Assistant Inspector, who holds the Certificate of the Royal Sanitary Institute and Sanitary Inspector's Examination Joint Board, and is also an Associate of the Royal Sanitary Institute.
 - (e) One Clerk in the Public Health Department.
- 2. Nursing in the Home. Nature of the arrangements in the area:—
- (a) General. The District Nursing Association at work in the District is under the control of the County Council. The Bridgwater Rural District is divided into eleven areas, with a Nurse who is also a qualified Midwife in each area. People living in Bridgwater Without, Wembdon, Chilton Trinity and Chedzoy are attended by Nurses from the Mary Stanley Home, Bridgwater.
- (b) Infectious Diseases. In case nursing is required for Infectious Diseases, this is provided by the Sanitary Authority at the request of the Medical Officer of Health.
- 3. *Midwives*. In addition to the District Nurses abovementioned, two Midwives are practising in the area. No arrangements have been made for the employment of or subsidy to Midwives by the Local Authority.
- 4. National Health Insurance. The Local Authority has no part in the administration of this service.
- 5. Poor Law Medical Out Relief. The Local Authority has no part in the administration of this service.
- 6. Laboratory Facilities. The Public Health Laboratory under the County Council undertakes the examination of clinical material, water, milk and foodstuffs.
- 7. Hospitals. There are no Hospitals under the control of the Sanitary Authority. The following are used by the Residents of the District:—

Bridgwater General Hospital. Seventy-one beds for medical and surgical patients. There are special departments for X-Ray, Dental, Ophthalmic and Massage.

Maternity. The Mary Stanley Nursing Home at Bridgwater, under the control of the County Council, has beds for 12 cases. There are also cots for 7 infants.

Tuberculosis. The Quantock Sanatorium, under the control of the County Council, has accommodation for 63 patients.

Venereal Diseases. There is no Hospital provision for venereal diseases. A Venereal Disease Dispensary, under the control of the County Council, is available for people living in the Bridgwater Rural District.

Puerperal Fever and Pyrexia cases are admitted to the Bridgwater General Hospital.

The Somerset Small-pox Hospital is at Cossington. It has four wards, and accommodates 20 patients, with a separate building for nurses.

With regard to Hospital accommodation for the treatment of cases of infectious diseases, the Council is a constituent Authority of the Taunton and District Joint Hospital Board and the Axbridge Joint Hospital Committee. The parishes within the Rural District are divided between these respective isolation hospital areas as follows:—

Axbridge. Ashcott, Bawdrip, Catcott, Chilton Polden, Cossington, Edington, Greinton, Huntspill, Moorlinch, Pawlett, Puriton, Shapwick, Stawell and Woolavington.

Taunton. Bridgwater Without, Broomfield, Cannington, Charlinch, Chedzoy, Chilton Trinity, Durleigh, Enmore, Fiddington, Goathurst, Lyng, Middlezoy, Nether Stowey, North Petherton, Othery, Otterhampton, Over Stowey, Spaxton, Stockland Bristol, Thurloxton, Wembdon and Westonzoyland.

- 8. Maternity and Nursing Homes. None in the District.
- 9. Maternal Mortality. Cases of maternal deaths and cases of Puerperal Fever are investigated by the Medical Officers of the County Council.
- 10. There is no Institutional provision for unmarried mothers, illegitimate infants and homeless children.
- 11. There is no Institutional provision for the care of Mental Defectives.

12. Ambulance Facilities.

- (a) For infectious cases the Ambulances of the Taunton and Axbridge Isolation Hospitals are used when required.
- (b) For Non-Infectious cases and accidents use is made of the Bridgwater Ambulance in connection with the St. John's Ambulance Association, which is available for the District on payment of a small fee. The Ambulance Stretcher in use is a "Mark 2" regulation Army pattern.
- 13. There are no Clinics or Treatment Centres under the control of the Local Authority.

SANITARY CIRCUMSTANCES OF THE AREA.

Water Supply. During the year further steps were taken to ensure the provision of an adequate drinking water supply to serve the whole District. This work included the following:—

A 3-in, main for supplying the remaining portion of the parish of Otterhampton not previously supplied, and practically the whole of the parish of Stockland Bristol.

A Standpipe at the junction of the Steart and Stockland Bristol roads to enable the residents of Steart to obtain water at this point.

A scheme for the supplying of the parish of Fiddington was approved and it is anticipated that the supply will be provided there in the near future.

The need of augmenting the present supply serving the Middlezoy and Polden Hills areas became an urgent matter and the work of duplicating the main from Dancing Hill, North Petherton, to Crandon Bridge, Bawdrip, was commenced during the year. The first section of duplication has now been laid as far as Huntworth Gate.

Arrangements were completed during 1938 with the Bridgwater Corporation for the guaranteeing by the Bridgwater Rural District Council for the supplying of water to the parish of Chilton Trinity. This supply has now been laid and has been taken great advantage of.

The Bridgwater Rural District Council have confirmed the investigations made respecting the supplying water to the parish of Over Stowey. A scheme has been formulated to use the

11 D

source of supply at Ramscombe (at present serving the Quantock Sanatorium) and this supply would serve the whole parish. The proposed source of supply is within the statutory area of the Bridgwater Corporation. The scheme is being submitted to both the Somerset County Council and the Bridgwater Corporation and the Bridgwater Rural District Council hope to shortly produce a final scheme.

As a general special precaution against the risk of epidemics and any possible sources of contamination, the Council decided to provide an up-to-date chlorination plant at their head works at Willoughby, and this plant was at once installed. In addition to this precaution the Council's three reservoirs were throughly cleaned out during 1938, and on the special instructions of the Council regular and frequent samples of all public and private supplies were analysed at the County Laboratory. All these analyses proved satisfactory.

Special precautions were taken in connection with public supplies during and following the period of the typhoid epidemic, and, in addition, samples of each and also private supplies were repeatedly submitted to the Public Analyst.

A number of samples from spring and well supplies were also taken by the Sanitary Inspector and the results of these, as well as all other samples, are set out in tabulated form on page 25 of the attached Report of the Chief Sanitary Inspector.

Sewage Disposal. The following is a short summary of the Council's activities under this head during the year 1938:—

CATCOTT. The approved scheme for sewering this village was carried out and all properties are now being connected up to the new sewer.

NORTH PETHERTON. The sewage works were modernised and considerably enlarged and provision made for a further extension of the plant for possible future necessity.

HUNTSPILL. Schemes for sewering both East and West Huntspills were drawn up and submitted to the Ministry and their sanctino is now awaited.

NETHER STOWEY. A scheme for sewering this parish was drawn up and submitted to the Ministry and their sanction is now awaited.

Woolavington. Instructions were given by the Council for a detailed report of the conditions of sewage and sewage disposal in this parish.

Rivers and Streams. No action was necessary under this heading during 1938.

RAINFALL AT ASHFORD PUMPING STATION, 1938.

No. of days rain fell

145

The Wettest Month
The Driest Month

November April

Greatest Fall in 24 hours

1.70 in. on September 18th

Month		Total Greatest Fall in Depth 24 hours			No. of days with 0.01 in. or more
January		Inches 3.27	Inches 0.75	Day 8	19
February		0.91	0.25	25	7
March		0.14	0.11	24	2
April		0.12	0.10	22	2
May		1.96	0.58	29	15
June		1.09	0.55	1	10
July		2.29	0.51	6	10
August		2.72	0.61	4	15
September		2.71	1.70	18	13
October		2.78	0.38	3	16
November		3.68	0.52	25	17
December	• •	3.56	0.60	9	19
Totals		25.23			145

Closet Accommodation. The need of improvement in existing conditions formed an item of repair on many of the notices issued under the provisions of the Housing Acts, and these were largely executed. In a number of instances insanitary conveniences were replaced by the modern type, especially where public supply was readily available, and such improvements are set out in the list of Housing Defects given on page 16.

Public Cleansing and Scavenging. During the year under review the Council adopted a Comprehensive Refuse Scheme by motor vehicle to serve the whole of the 36 parishes comprising their District. Twenty-one parishes are now served by this Scheme

and the Council are now considering extending the service to include the whole of the area.

The Council have recognised in their comprehensive scheme the scavenging of streets in addition to house refuse collection.

Sanitary Inspection of the Area. See Chief Sanitary Inspector's Report.

Smoke Abatement. No action was found necessary under this heading.

Premises and Occupations which can be controlled by Bye-laws or Regulations. A Knacker's Yard is the only offensive trade in your area, and particulars of inspections made will be found in the Chief Sanitary Inspector's Report.

Schools. The sanitary conditions and water supply of public Elementary Schools are satisfactory. The Head Teachers supply the Medical Officer of Health with a list of all absentees due to infectious disease, and when necessary all the scholars are examined.

Rag Flock Acts, 1911 and 1928. There are no premises in the District in which rag flock is manufactured or used.

Shops. No action was taken under this heading during 1938.

Swimming Baths and Pools. There are no public or privatelyowned swimming pools within the area.

Camping Sites. Under this heading the following particulars are recorded:—

Number of Sites		 	 	 	9
Number of Licences issued		 	 	 	9
Estimated Number of Campo	ers	 	 	 	420

The question of sites temporarily occupied by gypsies and suchlike persons were again discussed during the year. These camps are occasional ones and pitches were used mostly during the pea and apple picking seasons. Every effort was made to exercise proper control of them, but with the users rapidly moving to different sites the work of adequate supervision proved difficult. The employers of such people should be compelled to provide all facilities for their use on the site and to be made responsible to the Local Authority for such services.

HOUSING.

Eradication of Bed Bugs. No action under this heading was found necessary during 1938.

Under "Housing Statistics" particulars are given of the work done during 1938. Every effort was made to maintain the high standard previously aimed at respecting the improvement of conditions of all working-class dwellings. In two instances legal proceedings had to be taken for the vacating of unfit premises, but in all other cases property owners or their representatives satisfactorily carried out the requirements of the Council.

HOUSING STATISTICS.

		HOUSING STATISTICS.	
Number	v of N	New Houses erected during the Year.	
(1)	Ву	Local Authority:	
	((a) With State Assistance for re-housing under Housing Act, 1936, and for overcrowded cases	100
	(b) With State Assistance for other purposes	None
	((c) Without State Assistance	20
(2)	Ву	other persons:	
	(a) With State Assistance	None
	(b) Without State Assistance	53
Housin	g Ins	spections :—	
1	~	Total number of dwelling-houses inspected for housing	
	,	defects (under Public Health or Housing Acts)	240
	(b)	Number of inspections made for the purpose	272
2	(a)	Number of dwelling-houses (included under Sub-head (1) above) which were inspected and reported under the Housing Consolidated Regulations 1925 and 1932	0
	(b)	Number of inspections made for the purpose	. 0
3		Number of dwelling-houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation	80
4		Number of dwelling-houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects fit for human habitation	160
Housin	g Aci	tion.	
		Number of defective dwelling-houses rendered fit in consequence of informal action by the Local Authority or their Officers	25
		Number of houses demolished voluntarily or in consequence of informal action	1

Acti	ion una	ler Statutory Por	wers during	the Ye	ar:				
A.	Procee	edings under Sec	tions 9, 10	and 16	of the 1	Housing	Act 1	936 :	
	(1)	Number of d	welling-hou	ises in	respect	of whi	ch no	tices	
	()	were served r			-	• •			90
	(2)	Number of dv							
	(~,	service of for			011 11010	Tonidor	cu mi	AL COL	
		(a) By ow		•					27
		. , .			 . f 14		••	••	
			cal Authori		eraurt	or owne	rs	• •	0
В.	Proces	edings under Pu	blic Health	Acts:					
	(1)	Number of d	welling-hou	ises in	respect	of whi	ch no	tices	
	, ,	were served r	equiring de	efects to	o be re	medied			45
	(2)	Number of	dwelling-h	ouses	in wh	ich def	ects	were	
	, ,	remedied afte	er service o	f forma	l notice	es:			
		(a) By ow	ners						39
		(b) By Lo	cal Authori	ity in d	efault	of owne	rs		0
C.	Proces	edings under Sec	tions 11 an	d 13 of	the Ho	using A	ct 1936		
٠.	(1)	Number of dv							
	(1)	Orders were	mada	303 111 10	specto	1 WILLCII		1111011	29
	(0)						••	· ·	40
	(2)	Number of d	weimig-not	ises dei	monsne	a in pu	rsuan		5
	(0)	Demolition C	nuers	1.0		• •	 1 TT	,	3
	(3)	Number of h	iouses rend	ered ni	by O	wners a	nd Ui	ider-	4
	(takings given					• •	• •	4
	(4)	Number of U	_	_				• •	5
	(5)	Number of U	ndertaking	s given	to ren	der fit			26
	HO	ISING DEFE	CTS REC	ORDE	ות מי	TRING	193	RANT)
T N		USING DEFE						S AND	
EN		RATED IN	NOTICES	SERV	VED	UPON		B AND NERS	FOR
	UME	RATED IN		SERV	VED	UPON			FOR
	UME	RATED IN Roofs	NOTICES THEIR A	SERV ABATI	VED EMEN'	UPON T.		NERS	FOR
	UME	RATED IN Roofs Guttering and	NOTICES THEIR A down pipes	SERV ABATI	VED EMEN'	UPON T.	ow :	NERS	FOR 153 127
	fective	RATED IN Roofs Guttering and Yard pavings	NOTICES THEIR A down pipes	SERV ABATI	VED EMEN' 	UPON T	OW 2	NERS	153 127 72
	fective	RATED IN Roofs Guttering and yard pavings Drainage and o	NOTICES THEIR A down pipes other Sanita	SERVABATE	VED EMEN' 	UPON T	ow:	NERS	153 127 72 125
	fective	RATED IN Roofs Guttering and Yard pavings Drainage and of Floors and stail	NOTICES THEIR A down pipes other Sanita rcases and	SERVABATE ary fitti	VED EMEN' ngs handra	UPON T. 	ow:	NERS	153 127 72 125 426
	fective	RATED IN Roofs Guttering and Yard paving and or Floors and stai Wall and ceilin	NOTICES THEIR A	SERVABATE ABATE ary fitti absent	VED EMEN' ngs handra	UPON T. 	ow:	NERS	153 127 72 125 426 316
	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors	NOTICES THEIR A down pipes other Sanita rcases and ag plaster	SERVABATE ary fitti absent	VED EMEN' ngs handra	UPON	ow:	 	153 127 72 125 426 316 93
	fective	RATED IN Roofs Guttering and yard pavings Drainage and o Floors and stai Wall and ceilin Doors Windows	NOTICES THEIR A 	SERVABATE ary fitti absent	VED EMEN' ngs handra	UPON T.	OW:		153 127 72 125 426 316 93 227
	fective	RATED IN Roofs Guttering and yard pavings Drainage and o Floors and stai Wall and ceilin Doors Windows Chimney Stack	NOTICES THEIR A down pipes other Sanita rcases and ag plaster	SERVABATE ary fitti absent	VED EMEN' ngs handra	UPON T.	OW:	NERS	153 127 72 125 426 316 93 227
	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop	NOTICES THEIR A	SERVABATE Ary fitti absent	VED EMEN' .ngs handra 	UPON T.	OW:	NERS	153 127 72 125 426 316 93 227 166 141
De	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stail Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls	NOTICES THEIR A down pipes ther Sanita reases and g plaster ppers	SERVABATE Ary fitti absent	VED EMEN' ngs handra	UPON T	OW:	NERS	153 127 72 125 426 316 93 227 166 141 153
De	fective ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls atly lighted and	NOTICES THEIR A down pipes ther Sanita rcases and g plaster s ppers ventilated	SERVABATE Ary fitti absent rooms	VED EMEN' ngs handra	UPON T	OW:	NERS	153 127 72 125 426 316 93 227 166 141
De:	fective ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stail wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls and tighted and the control of the control	NOTICES THEIR A down pipes ther Sanita rcases and g plaster s opers ventilated ated or vent	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra 	UPON T	OW7	NERS	153 127 72 125 426 93 227 166 141 153 347
De Ins	fective fective fective fective fective fective fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls attly lighted and thents not light y privy convenie	NOTICES THEIR A down pipes ther Sanita rcases and g plaster sppers ventilated ted or ventences	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	OW:	NERS	153 127 72 125 426 316 93 227 166 141 153 347
Ins W. Ins Da	fective fec	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls thy lighted and trments not ligh y privy convenients	NOTICES THEIR A	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	OW7	NERS	153 127 72 125 426 316 93 227 166 141 153 347 131
Ins W. Ins Da	fective fec	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stail Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls atly lighted and of the start of the privy convenients stores provided	NOTICES THEIR A	SERVABATE Ary fitti absent rooms cilated	WED EMEN' ngs handra	UPON T	OW7	NERS	153 127 72 125 426 316 93 227 166 141 153 347 131 114
Ins W. Ins Da No	fective fec	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls thy lighted and trments not ligh y privy convenients	NOTICES THEIR A down pipes d	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	ow:	NERS	153 127 72 125 426 316 93 227 166 141 153 347 131 114 190 130 140 74
Ins W. Ins Da No No Ins	fective fec	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls atly lighted and rtments not ligh y privy convenients stores provided provided	NOTICES THEIR A down pipes ther Sanita rcases and g plaster ppers ventilated ited or ventences	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	ow:	NERS	FOR 153 127 72 125 426 316 93 227 166 141 153 347 131 114 190 130 140 74 56
Ins W. Ins Da No No Ins	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls of the provided and the provided provided the Water supply Wash-houses	NOTICES THEIR A down pipes ther Sanita rcases and g plaster ppers ventilated ited or ventences	SERVABATE Ary fitti absent rooms cilated	WED EMEN' ngs handra	UPON T	ow:	NERS	FOR 153 127 72 125 426 316 93 227 166 141 153 347 131 1140 74 56 18
Ins W. Ins No No Ins De Lo	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls atly lighted and etments not ligh y privy convenients stores provided provided provided the Water supply Wash-houses Outbuildings ngs	down pipes ther Sanita reases and g plaster ventilated tited or ventences	SERVABATE Ary fitti absent rooms cilated	WED EMEN' ngs handra	UPON T	ow:	NERS	FOR 153 127 72 125 426 316 93 227 166 141 153 347 131 1144 190 130 140 74 56 18
Ins W. Ins No No Ins De Lo Be	fective fective fective fective fective fective fective fective fective fective fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls atly lighted and atments not ligh y privy conveniently lissions provided provided and Water supply Wash-houses Outbuildings ags a intercommunic	down pipes ther Sanita reases and g plaster ventilated tited or ventences	SERVABATE ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	ow:	NERS	153 127 72 125 426 316 93 227 166 141 153 347 131 144 190 130 140 74 56 188 154 68
Ins W. Ins Da No Ins De Lo Be La	fective fective fective fective fective fective sanitar mp wa Food Sinks sufficier fective fective fective fective fective fective fective fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls attly lighted and rtments not ligh y privy convenients stores provided provided at Water supply Wash-houses Outbuildings ags intercommunic Bedrooms	down pipes ther Sanita reases and g plaster ventilated tited or ventences	SERVABATE Ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	ow:	NERS	FOR 153 127 72 125 426 316 93 227 166 141 153 347 131 114 190 130 140 74 56 18 154 68
Ins W. Ins Da No Ins De Lo Be La No	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stail Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls try lighted and rements not light y privy convenients stores provided provided provided provided not Water supply Wash-houses Outbuildings ngs intercommunications Bedrooms ries	notices THEIR A down pipes ther Sanita reases and g plaster sppers ventilated ventilated or vent ences cating	SERVABATE ary fitti absent rooms cilated	VED EMEN' ngs handra	UPON T	OW:	NERS	FOR 153 127 72 125 426 316 93 227 166 61 11 153 347 131 1144 190 130 140 744 56 18 154 68 26 41
Ins W. Ins Da No No Ins De Lo Be La Fo	fective	RATED IN Roofs Guttering and yard pavings Drainage and of Floors and stai Wall and ceilin Doors Windows Chimney Stack Stoves and Cop Exterior Walls attly lighted and rtments not ligh y privy convenients stores provided provided at Water supply Wash-houses Outbuildings ags intercommunic Bedrooms	down pipes ther Sanita reases and g plaster ventilated ated or ventences cating ar ventilated	SERVABATE ary fitti absent rooms cilated	WED EMEN' ngs handra	UPON T	OW:	NERS	FOR 153 127 72 125 426 316 93 227 166 141 153 347 131 114 190 130 140 74 56 18 154 68

HOUSING (RURAL WORKERS) ACTS.

It has been the Council's policy to endeavour to get Owners to recondition dwellings which were the subject of Representation Notices served by the Chief Sanitary Inspector, and particulars of the results of such efforts are as follows:—

(1)	Number	of	Applications	received	 63
(2)	,,	,,	,,	withdrawn or refused	 10
(3)	, ,	,,	,,	where assistance promised	 31
(4)	,,	,,	,,	where assistance given	 16
(5)				where decision not determined	22

Applications received concerned dwellings in the following Parishes:-

Parish	Number	Parish	Number
Ashcott	1	Middlezoy	1
Bridgwater Without	4		14
Cannington	4	Othery	1
Catcott	1		1
Chilton Polden	6	Puriton	2
Edington		Shapwick	5
Enmore	2	Spaxton	2
East Huntspill	3	Stawell	2
West Huntspill	2	Woolavington	1

Under the new Housing (Financial Provisions) Act of 1938, 3 applications were received and are being dealt with.

OVERCROWDING STATISTICS.

Overcrowding. Appended is a tabulated statement of the Council's action under Part I of the 1935 Housing Act. Whilst it must be admitted that the standard laid down in this Act is a low one, it is interesting to note the figures set out, and to record the few cases of overcrowding the measuring up of sleeping rooms in your area reveals. To deal with cases notified the Council has formulated a special house-building plan to accommodate the needs of their area.

(a)	(i)	Number of dwellings overcrowded at the end of the year	26
	(ii)	Number of families dwelling therein	2 6
	(iii)	Number of units dwelling therein	1761
(b)	Num	aber of new cases of overcrowding reported during the year	3
(c)	(i)	Number of cases of overcrowding relieved during the year	34
	(ii)	Number of persons concerned in such cases	218
(d)	be	come overcrowded after the Local Authority have ken steps for the abatement of overcrowding	None
(e)	Brie	fly I would report that every effort was made by my Coun-	cil to

(e) Briefly I would report that every effort was made by my Council to reduce or check the spread of overcrowding by the provision of Council House accommodation, either within the Parish where the overcrowding case was discovered or the offering of alternative accommodation in Parishes as adjacent to their present address as possible.

INSPECTION AND SUPERVISION OF FOOD.

(1) Milk Supply. Up to date the following is a list of all milk traders within the Council's area:—

N	umb	er of	Producers of Ordinary Milk		742
	,,	,,	Retailers of Ordinary Milk		17
	,,	,,	Producer-Retailers of Ordinary	Milk	179
	,,	, ,	Accredited Producers		19
			Graded Producers		15

The number of Supplementary Licences granted to Graded Milk Retailers during 1938 were as follows:—

(i)	Pasteurised	 	 	1
(ii)	Tuberculin Tested	 	 	1
(iii)	Accredited	 	 	1

38 Certificates of Registration were issued to applicants under the provisions of the Milk and Dairies Order, 1926, during 1938, as follows:—

(i)	Number of	Producers		• •	• •	34
-----	-----------	-----------	--	-----	-----	----

(ii) Number of Retailers 4

and 5 premises were registered as dairies during the same period. No licence was refused or revoked during 1938.

New cowsheds were erected, or improvements to existing premises carried out during the year under review, in the Parishes of Cannington (2), Chedzoy (3), Chilton Trinity (1), Cossington (1), Edington (1), East Huntspill (2), West Huntspill (4), Middlezoy (1), North Petherton (1), Westonzoyland (1), Woolavington (1).

Records of inspections at milk-producing premises during the year, together with the results, are set out on page 24 in the Report of the Chief Sanitary Inspector.

A list of samples or Ordinary, Graded and Accredited milks is also given in the Report of the Chief Sanitary Inspector on page 25.

All milk samples are analysed by the County Analyst at the County Hall, Taunton.

- (2) Meat and other Foods. See Chief Sanitary Inspector's Report.
- (3) Adulteration. The Council are not a Local Authority for enforcing the Food and Drugs (Adulteration) Act, 1928.
- (4) Chemical and Bacteriological Examinations of Food are submitted to the County Council Laboratory at Taunton.

Nutrition. No action was taken under this heading during 1937.

Shellfish (Molluscan). There are no layings and no places in the district from which shellfish are marketed.

PREVALENCE OF, AND CONTROL OF, INFECTIOUS AND OTHER DISEASES.

GENERAL.

Notifications of Infectious Disease were received by me during the year as follows:—

Scarlet Fever	 	11	Dysentery	 1
Pneumonia	 	6	Erysipelas	 3
Typhoid Fever	 	28	Ophthalmia Neonatorium	 2
Paratyphoid	 	1	Puerperal Pyrexia	 1
Infantile Paralysis	 	1		

31 cases of Tuberculosis were also notified, 25 being Pulmonary and 6 non-Pulmonary.

Pathological and bacteriological specimens are examined at the County Council Laboratory at Taunton. No use has been made of the Schick Test in Diphtheria.

No vaccinations or re-vaccinations have been performed by the Medical Officer of Health.

There are no facilities in the District for cleansing and disinfection of verminous persons. The disinfection of premises and articles which have been exposed to infection is carried out by spraying and fumigation.

Notified Diseases other than Tuberculosis during the year 1938.

DISEASE		Total Cases Notified	Cases Admitted to Hospital	Died
Scarlet Fever	 	11	6	
Pneumonia	 	6		5
Typhoid Fever	 	28	26	7
Paratyphoid	 	1		
Dysentery	 	1		
Erysipelas	 	3		
Ophthalmia Neonatorium	 	2		-
Infantile Paralysis	 	1	1	
Puerperal Pyrexia)	1		
-				

		8	8- 0	.,	P	•									
CAUSE	E OF DEAT	`H		Under 1 year	1 to 2 years	2 to 3 years	3 to 4 years	4 to 5 years	5 to 10 years	10 to 15 years	to	20 to 35 years	35 to 45 years	45 to 65 years	65 and over
Scarlet Fever			• • •	-			-	-	3	6	2			_	
Pneumonia	Deaths Deaths	• •	• •	-	-	-	-	1	-	-	1	1	1	1	1
Erysipelas	Deaths	• •	• •		-	-		-	-	-			2	2	1
Typhoid Fever	Deaths	• •	• •	1 -	_	-	2		2		5	8	4	7 2	-
Paratyphoid	Deaths			-	_	_		_	_	_	_	î	-	_	_
Dysentery	Deaths			-	_	_	-	_	_	_	_	1		-	_
Ophthalmia Neona				2	-	-	_	_	-	_	_	-	_	-	
Infantile Paralysis	Deaths	••	••		-	1		-	-	-	_		-	-	-

TYPHOID REPORT.

I much regret to have to record that an epidemic of Typhoid Fever occurred within the Parishes of East and West Huntspill and Pawlett during the months of January, February and March. The epidemic spread very rapidly and affected persons of the working classes of varying ages and occupations. The first case (that of a young West Huntspill girl aged 15 years) was reported on January 11th and she was removed on the 21st January to the Axbridge Isolation Hospital. Immediately steps were taken as to disinfecting all rooms, bedding and clothing at her home, the sampling of water and milk supplies used there (which were found to be absolutely free from contamination) the testing of drains serving the premises and the exclusion from work and schools attended by other members of her family. The course of the epidemic then ran as follows:—On January 29th 3 further cases were reported; January 30th, 4 cases; January 31st, 1 case; February 1st, 3 cases; February 2nd, 4 cases; February 3rd, 1 case; February 4th, 3 cases; February 7th, 1 case; February 8th, 1 case; February 9th, 1 case; March 17th, 1 case; giving a total of 28 cases in all. Of this number 26 were removed to Axbridge Isolation Hospital, the other two cases having died at their homes before their removal could be arranged.

As a further safeguard, and as precautionary measures, all medical practitioners within the whole area of the Bridgwater Rural District were at once circularised to immediately report any suspected case; and in addition the public water supply was chlorinated. Dr. Davidson, the County Medical Officer of Health, then broadcast an appeal for all water and milk supplies to be boiled before use. Dr. Norman Smith from the Ministry of Health also at once visited the area, and later, with Dr. Stirling, the Deputy County Medical Officer of Health, took blood tests from suspected persons and

"contacts"; and in addition to these precautions, samples of faeces and urine were tested at the County Laboratory. A large quantity of infected bedding and wearing apparel was destroyed. Ditches and water-courses were cleaned out and heavily chlorinated. All public Elementary Schools in these Parishes were closed.

Dr. Davidson took overfull control during the whole period of the epidemic and I have to pay a high tribute of thanks to him for his valuable help and advice. I would also express my warm appreciation of the services rendered by Dr. Norman Smith of the Ministry of Health and Dr. Stirling, the Deputy County Medical Officer of Health, and many others during that time. All these co-ordinating efforts, coupled with the splendid response to instructions issued shown by the residents in the areas affected, helped very considerably in checking the spread of infection. One must deplore those cases which proved fatal and to the bereaved I would extend the deepest sympathies of both the Council and myself.

OPHTHALMIA NEONATORUM.

Cases Notified	Treated At Home In Hosp'l		Vision Unim- paired	Vision Impaired	Total Blindness	Deaths
2	2	0	2	0	0	0

TUBERCULOSIS. New Cases and Mortality during 1938.

	Ago	1	NEW (CASES		DEATHS					
	Age Periods	Respi	ratory	Non-l	Resp'y	Respi	ratory	Non-Resp'y			
-	0—1 1—5 5—15 15—25 25—35 35—45 45—55 55—65 Over 65	M 1 3 2 1 4 3 3	F	M111	F 1 - 2 -	M	F	M	F		
_	Totals	14	11	3	3	8	8	1			

All the deaths from Tuberculosis were in cases that had been previously notified. The notification of Tuberculosis has always been prompt and it has not been necessary to take any action to enforce it.

Public Health (Prevention of Tuberculosis) Regulations, 1925.

It was not found necessary for any action to be taken during the year.

Public Health Act, 1925, Section 62.

It was not found necessary for the Council to take any action under this heading during 1938.

Public Health Act, 1936, Section 176.

It was not found necessary to take any action under this heading during 1938 for the prevention of blindness.

YEAR 1938

REPORT OF THE CHIEF SANITARY INSPECTOR.

The following is a brief report of the work carried out under the direction and control of the Medical Officer of Health for the period from 1st January to 31st December (inclusive). In September last the work of the Department was re-organised by the Council and by reason of this, and to the fact that a more adequate staff has been provided, more attention can now be given to the duties allotted. Particulars and progress of all work performed were regularly reported upon to the appropriate Committees of the Council, and to the Medical Officer of Health.

NUISANCES AND COMPLAINTS.

The following matters received attention during the past year, necessitating 385 visits. Of the number stated 59 were abated.

Defective Cesspools	*Offensive Accumulations	Fouled Watercourses	Dirty Premises	Bad or suspected Water Supply	Overcrowding	Animals kept in unfit places	Sewage and Drainage Defects or Nuisances	Defective Sanitary Conveniences or Fittings	Tents & Van Dwellings	#Housing Complaints	Miscellaneous	
2	5	14	4	3	4	8	29	3	4	32	8	Total 116

- * Other than recorded under Cowshed inspections.
- ‡ In addition to those mentioned under "Housing Defects."

INSPECTION AND SUPERVISION OF FOOD SUPPLIES.

(l) Meat. During the year one slaughterhouse was discontinued and the premises closed. This leaves 14 registered and 6 licensed premises now on the Council's registers. Written notification of days and times of all slaughtering were received and efforts made to regularly visit either at these times and at other periods. These inspections include ante- and post-mortem inspections. Occupiers of all recognised slaughtering premises were regularly provided with explanatory posters and leaflets on both the Public Health (Meat) Regulations and the Slaughter of Animals Act for exhibiting on their premises. All animals intended for human consumption are stunned with an approved type of humane killer prior to slaughter. No contraventions of either your Slaughter-house Byelaws, or of the various provisions of the laws relating to the conduct of meat trading, were discovered during 1938. The butchers remained loyal and the quality of all meat slaughtered for human consumption was of a high standard.

There is no meat marking scheme under Part II of the Public Health

(Meat) Regulations, 1924, in force in this area.

Under the provisions of the Slaughter of Animals Act, 1933, 42 fit and proper persons were licensed to slaughter animals during 1938.

RECORD OF INSPECTIONS TOGETHER WITH PARTICULARS OF MEAT CONDEMNED FOR THE YEAR 1938.

(1)	After special notification	 	 15
(2)	Occasional (or casualty) slaughtering	 	 3
(3)	Monthly routine visits	 	 799
		Total Visits	 817

LIST OF CARCASES AND ORGANS INSPECTED AND CONDEMNED DURING THE YEAR 1938.

	Beasts	Calves	Pigs	Sheep	Lambs
1. Number of whole carcases inspected	492	442	826	877	446
2. Number of whole carcases condemned3. Percentage of whole car-	3	_	6	9	1
cases condemned for: (a) Tuberculosis (b) Other diseases 4. Number of organs in-	0.610%	_	0.726%	1.03%	0.224%
spected	2338	2105	4317	4729	2197
5. Number of organs condemned6. Percentage of organs condemned for:	93	-	111	112	27
(a) Tuberculosis (b) Other diseases	3.51% 0.47%	=	2.20% 0.371%	2.37%	1.23%

The total number of all animals slaughtered during the year for human consumption is not known.

CLASSIFICATION OF DISEASES AND OTHER INFECTIONS FOUND PRESENT IN THE ORGANS EXAMINED.

			Tuberculosis	Distomatosis Cirrhosis	Tainted	Abscesses	Fatty Degeneration	Bruising	Pleurisy	Congestion	Rufescens	Totals
Beasts Pigs Sheep Lambs	•••	 	 82 95	6	1	3-1	1 —	2	12		99 26	93 111 112 27

TOTAL QUANTITY OF MEAT CONDEMNED.

The total quantity of meat condemned during last year was as follows:-

Carcases Organs		 tons 1 1	cwts. 4 6	qrs. 1 3	lbs. 14 23 ³ / ₄
	Total	 2 tons	11 cwts.	1 qr.	9 3 1bs.

Knacker's Yard. 18 inspections were made during the year. On all occasions it was found that these premises were kept in a reasonably satisfactory condition.

	,,	,,	,,	,,	,,		,, re-in	spected	328
							Total		505
Part	iculars and	number c	of Notic	es serv	red :				
	For defec	tive floor	s						8
		tive drai							6
	,, Lime	washing							11
		ovement				tion			7
	,,	oval of m			ulation				10
		ed approa							10
		tive appr							5
	,, Dirty	floors	• •	• •	• •		• •		9
							Total		

The periodical limewashing of milking sheds and dairy premises was carried out in accordance with the Council's Regulations and Byelaws. As a result of the spread of Foot and Mouth Disease during a part of the year, sampling was temporarily suspended at the request of the County Medical Officer of Health. A list of the Graded and Accredited Milk Producers is given in the Report of the Medical Officer of Health.

Samples taken during the year are as follows:—

(1) For tubercle bacilli:—

Pari	sh		Date	Number of Samples Taken
Chilton Tri	nity	 ٠,	9/6/38	3 3
Enmore		 	24/11/38	3
Huntspill		 	6/1/38	2
Huntspill		 	21/7/38	3
Pawlett		 	6/1/38	1
Puriton		 	25/10/38	3
Westonzoyl	and	 	7/4/38	3
			Total	18

(Note. Tubercle bacilli was found in one sample, and appropriate action taken by the County Authority).

(2) For Graded and Accredited Milks.

		Satisfactory	Unsatisfactory	Unsatisfactory
Parish		(both counts)	(one count)	(both counts)
Ashcott		 2		1
Bridgwater With	out	 7	1	2
Cannington		 6	2	
Chedzoy		 2	5	3
Chilton Trinity		 1		-
Cossington		 2	_	
Durleigh		 4	normalist.	
Edington		 2	1	
Enmore		 1		1
Goathurst		 	-	6
Greinton		 8	2	
Huntspill		 16	3	4
North Petherton		 4	3	
Over Stowey		 2		1
Pawlett		 1		1
Puriton		 4		-
Stawell		 3	4	3
	Totals	 65	21	21

Тотац---107.

SUMMARY OF RESULTS.

(1)	Unsatisfactory on bo				41
(2)	Unsatisfactory on or	ie count			21
(3)	Satisfactory			• •	65
			Total		107

Water samples taken during 1938 are as follows:-

Parish		Satisfactory	Doubtful	Unsatistactory
Ashcott	 	1	1	8
Broomfield	 	5	4	2
Cannington	 	2	1	2
Charlinch	 	1	—	
Chilton Polden	 	1		3
Chilton Trinity	 	1	3	1
Durleigh	 		1	3
Edington	 	2	1	
Enmore	 			1
Fiddington	 	1	2	1
Goathurst	 	$\frac{2}{5}$		
Nether Stowey	 		2	2
North Petherton	 	5	4	6
Otterhampton	 		4	4
Over Stowey	 	enerous .	2	
Shapwick	 		1	$\frac{2}{3}$
Spaxton	 	2	5	3
Thurloxton	 	2	-	_
Wembdon	 	1	1	2
Woolavington	 		1	
		-	Married Marrie	
		31	33	40

Where samples taken from premises on the line of the Council's mains were reported upon unsatisfactorily the owners were requested to connect up to such supply, and in all other cases of unsuitable supplies owners were called upon to carry out such improvements as would ensure a proper and approved supply being available. Samples taken last year of all the public, or large privately-owned, supplies, were reported upon as "satisfactory."

INFECTIOUS DISEASE.

The typhoid fever epidemic during the months of January and February added considerably to the work of all the members of the Public Health Staff. The following is a brief record of the special duties carried out during the period mentioned :-

(1)	Number of room	is fumigated	1					16
(2)	Number of room	s sprayed						7
(3)	Instances where	articles of	beddin	g and	perso	nal clo	thing	
	were sprayed	i						15
(4) (5)	were sprayed Number of W.C.	's sprayed						13
(5)	Number of addr	esses other	than pa	atients'	home	es visit	ed to	
	canvassfora	nyinformat	ion like	ely to b	e of an	ıy assis	tance	
	in the follow							376
(6)	Re-visiting of al			-	~			
(=)	food stuffs p	rocured and	used	• •				21
(7)	Number of mill	producers	addre	esses v	isited	withir	n the	100
(0)	Parish of Ea Number of ditch	st and Wes	t Hunt	spill		• •	• •	102
(8)	Number of ditch	es treated v	vith chi	oride o	ı nm	e	• •	14
(9)	Number of tins				• •			98
(10)	Number of cwts.					• •	• •	12
	ddition to this wo							
	Officer of Health			s upon	all th	ne cases	s and co	ntacts
were free	quently supplied t	to Dr. Thor	npson.					
Oth	er duties carried	out in conn	ection	with re	eporte	ed case	s of infe	ectious
disease d	uring the year we	re as follow	's :		-			
N	umber of premise	s visited						26
Ñ	umber of rooms d	isinfected						- 8
	umber of rooms a						ved	24
						1	<i>y</i> =	
	FACTORY AN	D WORK	SHOP	S AC	TS 1	901-1	907.	
Number	of Factories and	Workshops	on Reg	isters				159
Number	of Shop Premises							70
Number	of Factories inspe	cted :						
	With mechanical							10
	Without mechan							38
Procedu	·	-						
	ber of defects for	ınd						13
	ber of written no						• • •	12
	ber of defects rea							13
					Inor		i a. +1-	
	Notices were reco				ınspe	ector a	uring th	e year
	opriate action wa				1	TTAL	T	
	e Homeworkers'	premises	were	notined	by	H.M.	inspect	or 01
Factories								

an

Number of Outworkers' premises visited ...

RATS AND MICE (DESTRUCTION) ACT 1919.

This branch of Public Health work is now under the control of the Council's Engineer and Surveyor.

SUMMARY OF INSPECTIONS FOR THE YEAR 1938.

Housing	Inspections								272
,,	Re-Inspections								816
Inspection	on of Meat and o	ther F	oods						799
Cowshed	and Dairy Inspe	ections	(includ	ling re-	visits)				505
Factory:	and Workshop I	Premise	s						48
Visits in	connection with	Infect	ious Di	sease	••,				585
,,	,, ,,	Nuisar	nces an	d Com	plaints				385
Miscellan	neous Visits (Mil)	k Samp	ling, W	later Sa	amplin	g, and	variou	s)	275
						Tot	al Calls	s	3685

I desire to tender to the Chairman and Councillors, and to Dr. Thompson, my continued thanks for their appreciation of the work undertaken. I would also like to express my warmest thanks to my colleagues in the Public Health Department for the ready help they have always given.

Your obedient servant,

VINCENT C. G. CALLEN,

Chief Sanitary Inspector.

June, 1939.





